



Quick, Extremely Durable Warning!

The KonaPost is an excellent alternative to traditional orange cones.

It is ideal for applications where orange cones or markers must be quickly deployed in specific patterns on a regular basis. The flexible KonaPost's 6" plug easily inserted into a hot-dip galvanized steel receptacle that is recessed into the pavement. The posts can be deployed when needed and quickly removed by lifting them out of the pavement receptacles.



Cones	KonaPost
Haphazard	<i>ACCURATE</i>
Damaged	<i>DURABLE</i>
Lost	<i>SECURE</i>
Random	<i>CONSISTANT</i>
Inadequate	<i>EFFECTIVE</i>
Cheap	<i>LONG TERM VALUE</i>
Safety Risk	<i>SAFER</i>



A Division of Energy Absorption Systems, A Quixote Company



ONE EAST WACKER DRIVE, CHICAGO, ILLINOIS 60601-2076

Telephone: (312) 467-6750 Fax: (312) 467-1356

Internet: www.safehit.com

Engineering & Manufacturing Facilities
Rocklin, California & Pell City, Alabama





1 Injection Molded Urethane Plastic

2 Patented tapered wall design

3 6" Durable Plug Ensures Accurate and Consistent Placement

4 8" Hot-Dip Galvanized Steel Receptacle

5 Specially Designed Receptacle Helps Ensure Post Stays In Place After Impacts



Available in White, Yellow and Orange!
(custom colors available)

- Extremely impact resistant
- 360° full visibility
- Patented tapered wall design
- No protruding metal parts
- One piece post construction
- Withstands extreme temperatures
- Easy installation

Ideal for a Variety of Applications!

The Heavy Duty KonaPost can be used as a channelizing, marking, delineation device in many applications, including:

- Gate Closures
- Reversible Lanes
- Lane Redirect
- Parking Lots & Garage
- Event Management

KonaPost™ Specifications:

The following are general specifications for the Safe-Hit KonaPost.

Height(Post)	48.26 cm	19 in
Width (Post)	10.16 cm	4 in
Height (Plug)	15.24 cm	6 in
Width (Receptacle Plate)	11.43 cm	4.5 in
Depth Receptacle	20.32 cm	8 in

Distributed by: